

WHAT IS CLAIMED IS:

1. An ink composition comprising a liquid medium, a colorant and at least 0.1% by weight of the ink of an amphiphilic material having the formula



R represents an alkyl, aryl, alkyl-aryl or alkenyl group;

Q represents a hydrophilic repeating unit of ethylene oxide or propylene oxide, wherein $n > 4$;

A^- represents a sulfate, sulfonate or phosphate group;

M^+ represents a cation such as potassium, sodium, lithium or ammonium;

and where if the colorant is a modified carbon black with organic groups covalently bonded thereto, the amphiphilic material has the same charge as the modified carbon black.

2. The ink composition of claim 1 where the amphiphilic material is one or more compositions selected from the group of (a) alkyl, aryl, alkyl-aryl or alkenyl ether phosphates and salts thereof, including sodium, potassium, ammonium and lithium salts; and (b) alkyl, aryl, alkyl-aryl or alkenyl ether sulfates and salts thereof, including sodium, potassium, ammonium and lithium salts.

3. The ink composition of Claim 2 wherein the ink comprises no more than 10% of the amphiphilic material on a weight basis.

4. The ink composition of Claim 1 further comprising at least 0.1% by weight of the ink of a second amphiphilic material, where the second amphiphilic material has the formula



X represents hydroxyl or amino functionality;

Q represents a hydrophilic repeating unit of ethylene oxide or propylene

oxide, wherein $n > 4$;

R' represents C_1 to C_6 alkyl functionality;

Y represents oxygen, nitrogen or sulfur; and

R represents an alkyl, aryl, alkyl-aryl or alkenyl group.

5. The ink composition of Claim 4 where the second amphiphilic material is one or more compositions selected from the group of (a) alkyl, aryl, alkyl-aryl or alkenyl mercaptan ethoxylates and (b) alky phenol ethoxylates.

5

6. The ink composition of Claim 4 wherein the ink comprises no more than 10% of the second amphiphilic material on a weight basis.

7. An ink composition comprising a liquid medium, a colorant and at least 0.1% by weight of the ink of an amphiphilic material having the formula

10



X represents hydroxyl or amino functionality;

Q represents a hydrophilic repeating unit of ethylene oxide or propylene oxide, wherein $n > 4$;

15

R' represents C_1 to C_6 alkyl functionality;

Y represents oxygen, nitrogen or sulfur; and

R represents an alkyl, aryl, alkyl-aryl or alkenyl group.

8. The ink composition of Claim 7 where the amphiphilic material is one or more compositions selected from the group of (a) alkyl, aryl, alkyl-aryl or alkenyl mercaptan ethoxylates and (b) alky phenol ethoxylates.

20

9. The ink composition of Claim 7 further comprising at least 0.1% by weight of the ink of a second amphiphilic material, where the second amphiphilic material has the formula

25



R represents an alkyl, aryl, alkyl-aryl or alkenyl group;

Q represents a hydrophilic repeating unit of ethylene oxide or propylene oxide, wherein $n > 4$;

30

A^- represents a sulfate, sulfonate or phosphate group; and

M^+ represents a cation such as potassium, sodium, lithium or ammonium.

10. The ink composition of claim 9 where the second amphiphilic material is one or more compositions selected from the group of (a) alkyl, aryl, alkyl-aryl or alkenyl ether phosphates and salts thereof, including sodium, potassium, ammonium and lithium salts; and (b) alkyl, aryl, alkyl-aryl or alkenyl ether sulfates and salts thereof, including sodium, potassium, ammonium and lithium salts.
- 5